Section of COMPASS					DATA SOURCE-MN	
Indicator can be Found:	Category	Title	Measure	DATA SOURCE-WI	(If different than WI)	Used in COMPASS 2018?
Quality and Length of	Mortality	Premature Death	Years of potential life lost before age 75 per	Health Data.orgUS County Health		Yes
Life			100,000 population (age-adjusted)	<u>Profiles</u>		
Quality and Length of	Mortality	Infant Mortality	Infant (infants less than 1 year of age) Mortality	Wisconsin Department of Health		Yes
Life			Rate per 1,000 live births	Services-WISH System (Infant		
				Mortality Module)		
Quality and Length of	Measures of Overall	Low Birth Weight	Percentage of birth weights <2,500 grams	Wisconsin Department of Health		Yes
Life	Health			Services-WISH System (Low		
				Birthweight Module)		
Quality and Length of	Chronic Disease	Cancer	Number of new cancer diagnoses per 100,000	County Health Rankings-Cancer	Minnesota Cancer Surveillance	Yes
Life			population (age-adjusted)	<u>Incidence</u>	<u>System</u>	
Quality and Length of	Physical Activity and	Adult Obesity	Percentage of adults (age 20 +) with BMI > 30	County Health Rankings-Adult		Yes
Life	Nutrition			Obesity		
Quality and Length of	Chronic Disease	Coronary Heart Disease	Coronary heart disease hospitalization rate per	County Health Rankings-Coronary		Yes
Life		Hospitalizations	1,000 population	Heart Disease Hospitalizations		
Quality and Length of	Chronic Disease	Cerebrovascular Disease	Cerebrovascular disease hospitalization rate per	County Health Rankings-		Yes
Life	om om o biocuse	Hospitalizations	1,000 adults	Cerebrovascular Disease		
2.1.0		. respitalizations	2)000 dad.to	Hospitalization Rate		
Ovality and Langth of	Mental Health	Intentional Injury Heavitalizations	Self-inflicted hospitalization rate per 100,000	County Health Rankings-Self Inflicted	Minnesete Injury Date Access	Yes
Quality and Length of	Mental Health	Intentional Injury Hospitalizations	1			res
Life			population	Injury Hospitalizations	System (MIDAS)	
Quality and Length of	Mental Health	Intentional Self-Harm	` ,	Community Commons-Suicide Rate		Yes
Life			per 100,000 people			
Quality and Length of	Chronic Disease	Diabetes	Percentage of adults age 20 and above with	County Health Rankings-Diabetes		Yes
Life			diagnosed diabetes	<u>Prevalence</u>		
Quality and Length of	Injury and Violence	Injury Hospitalizations	Ranked causes of hospitalizations for injuries (age-	Wisconsin Department of Health		No
Life	* *	, , ,	adjusted per 100,000 population)	Services-WISH System (Injury-		
				Related Hospitalizations Module)		
Quality and Length of	Measures of Overall	Door or Fair Health	Percentage of adults self-reporting poor or fair	County Health Rankings-Poor or Fair		No
Life	Health	Poor of Fall Health		Health		NO
			health (age-adjusted)			
Health Behaviors	Reproductive and	Sexually Transmitted Infections	Chlamydia cases per 100,000 population	County Health Rankings-Sexually		Yes
	Sexual Health			Transmitted Infections		
Health Behaviors	Communicable	Childhood Immunizations	Percentage of children aged 19 to 35 months who	County Health Rankings-Childhood		Yes
	Disease		received the recommended doses of DTaP, polio,	<u>Immunizations</u>		
			MMR, Hib, hepatitis B, varicella, and PCV			
Health Behaviors	Alcohol & Other	Excessive Drinking	Percentage of Adults Excessively Drinking (binge	County Health Rankings-Excessive		Yes
	Drugs		drinking or heavy drinking)	Drinking		
Health Behaviors	Alcohol & Other	Alcohol impaired driving deaths	Proportion of Alcohol Impaired Driving Deaths	County Health Rankings-Alcohol-		Yes
	Drugs			Impaired Driving Deaths		
Health Behaviors	Physical Activity and	Physical Activity / Inactivity	Percentage of adults aged 20 and over reporting no	County Health Rankings-Physical		Yes
	Nutrition		leisure time physical activity	<u>Inactivity</u>		
Health Behaviors	Tobacco	Adult Smoking	Percentage of adults who are current smokers	County Health Rankings-Adult		Yes
				Smoking		
Health Behaviors	Reproductive and	Teen Birth Rate	Birth rate per 1,000 females age 15-19	County Health Rankings-Teen Births		Yes
	Sexual Health					

Section of COMPASS					DATA SOURCE-MN	
Indicator can be Found:	Category	Title	Measure	DATA SOURCE-WI	(If different than WI)	Used in COMPASS 2018?
Health Behaviors	Chronic Disease	Breast Cancer Screening	Percentage of women who should have had at least	Wisconsin Collaborative for		Yes
			one mammogram within the previous 24 months	<u>Healthcare Quality</u>		
Health Behaviors	Chronic Disease	Cervical Cancer Screening	Percentage of Women who should have had one or	Wisconsin Collaborative for		Yes
			more cervical cancer screening tests during the	Healthcare Quality		
Health Behaviors	Chronic Disease	Colorectal Screening	Percentage of men and women who should have	Wisconsin Collaborative for		Yes
			had a colorectal cancer screening	Healthcare Quality		
Health Behaviors	Physical Activity and	Breast Feeding	Percentage of infants receiving WiC breastfed	Wisconsin WIC program		No
	Nutrition		exclusively through three months			
Health Behaviors	Tobacco	Smoking During Pregnancy	Percentage of births were mother reports smoking	County Health Rankings-Smoking		No
			during pregnancy	<u>During Pregnancy</u>		
Clinical Care	Access to Care	Dental Providers	Ratio of population to dentists	County Health Rankings-Dentists		Yes
Clinical Care	Access to Care	Uninsured under Age 65	Percentage of population under age 65 that has no	County Health Rankings-Uninsured		Yes
			health insurance coverage	<u>Adults</u>		
Clinical Care	Access to Care	Primary care physicians	Ratio of population to primary care physicians	County Health Rankings-Primary		Yes
				<u>Care Physicians</u>		
Clinical Care	Access to Care	Mental health providers	Ratio of population to mental health providers	County Health Rankings-Mental		Yes
				<u>Health Providers</u>		
Clinical Care	Chronic Disease	Age-Adjusted Asthma	Age adjusted asthma hospitalization rates per	Wisconsin Department of Health		Yes
		Hospitalization Rates	10,000	Services-Age Adjusted Asthma		
				<u>Hospitalization Rates</u>		
Clinical Care	Chronic Disease	Diabetic Screening	Percentage of diabetic Medicare enrollees 65-75	County Health Rankings-Diabetes		Yes
	Management		that receive HbA1c monitoring	Monitoring		
Clinical Care	Mental Health	Adult Mental Health Treatment Gap	Mental Health Treatment Gap for Adults	Wisconsin Department of Health		Yes
		with Any Mental Illness		Services, June 2017. Wisconsin		
				Mental Health and Substance Abuse		
				Needs Assessment Draft		
Clinical Care	Mental Health	Youth Mental Health Treatment	Mental Health Treatment Gap for Youth	Wisconsin Department of Health		Yes
		Gap with Any Mental Illness		Services, June 2017. Wisconsin		
				Mental Health and Substance Abuse		
				Needs Assessment Draft		
Clinical Care	Access to Care	No recent dental visit	Percentage of population age 2+ that did not have a	County Health Rankings-No Recent		No
			dental visit in the past year	<u>Dental Visit</u>		
Social and Cultural	Community Safety	Child Abuse (substantiated reports	Child abuse rate per 1,000	County Health Rankings-Child Abuse		Yes
Factors		per 1000)				
Social and Cultural	Education	High School Graduation	Percentage of 9th grade cohort that graduates in	County Health Rankings-High School		Yes
Factors			four years	<u>Graduation</u>		
Social and Cultural	Education	Some College	Percentage of adults age 25-44 with some post-	County Health Rankings-Some		Yes
Factors			secondary education	College		
Social and Cultural	Social Support	Single-parent Households	Percentage of children that live in a household	County Health Rankings-Children in		No
Factors			headed by a single parent	Single Parent Households		
Social and Cultural	Community Safety	Child Abuse Referrals	Percent change in the Number of CPS Referrals	Wisconsin Department of Children	Data Not Available for Minnesota or	Yes
Factors			from CY2011-CY2015	and Families-Annual Child Abuse and	Houston County	

Section of COMPASS					DATA SOURCE-MN	
Indicator can be Found:	Category	Title	Measure	DATA SOURCE-WI	(If different than WI)	Used in COMPASS 2018?
Social and Cultural	Community Safety	Out of Home Care Placements	Percent Change in the number of Out-of-Home Care	Wisconsin Department of Children	Minnesota Department of Human	Yes
Factors			Placements CY 2011-CY 2015	and Families-Child Out of Home Care	Services-Minnesota Social Services	
				Reports	Information System-Out of Home	
					Care	
Social and Cultural	Community Safety	Juvenile Justice Arrest Rate	Juvenile Arrest Rate per 1,000 youth between 10-17	Wisconsin Department of Justice-	Minnesota Department of Public	Yes
Factors			years of age	UCR Arrest Data	Safety-Arrest Dashboards	
Social and Cultural	Social Support	Inadequate Social Support	Percentage of adults without social/emotional	Community Commons-Lack of Social		No
Factors			support	or Emotional Support		
Social and Cultural	Education	Reading Proficiency	Percentage of fourth grade students proficient or	County Health Rankings-Reading		Yes
Factors			advanced in reading	<u>Proficiency</u>		
Social and Cultural	Social Support	Older Living Alone	Percentage of 65 years and older who live alone	County Health Rankings-Older Adults		No
Factors			,	Living Alone		
Economic Factors	Employment	Unemployment	2016 Unemployment Rates	Wisconsin Department of Workforce	Minnesota Department of	Yes
				Development; Bureau of Workforce	Employment and Economic	
				Training-Labor Market Information	<u>Development-Annual</u>	
					<u>Unemployment Rates</u>	
Economic Factors	Adequate Income	Median Household Income	Median household income (all residents of a	County Health Rankings-Median		Yes
			household over age 18)	<u>Household Income</u>		
Economic Factors	Adequate Income	Poverty, All Ages	Percentage of population living below the Federal	County Health Rankings-Poverty		Yes
			Poverty Line (FPL)			
Economic Factors	Adequate Income	Poverty, Children	Percentage of children under 18 living below the	County Health Rankings-Children in		Yes
			Federal Poverty Line (FPL)	Poverty		
Economic Factors	Adequate Income	Children Eligible for Free Lunch	Percentage of children enrolled in public schools	County Health Rankings-Children		Yes
			that are eligible for free and reduced school lunch	Eligible for Free or Reduced Price		
Economic Factors	Employment	Disconnected youth	Percentage of teens and young adults ages 16-24	County Health Rankings-		No
			who are neither working nor in school	<u>Disconnected Youth</u>		
Economic Factors	Employment	Dloyment TANF (Temporary Assistance for	Percentage of households receiving TANF	Community Commons-TANF Receipt		Yes
		Needy Families) Enrollment				
Economic Factors	Adequate Income	ALICE Survival Budget	Households above Federal Poverty Threshold and	Data was provided by Liz Evans.		Yes
LCOHOTTIC T actors	Adequate income	ALICE Survival Budget	below ALICE	Data was provided by Liz Evans.		1163
Physical Environment	Oral Health	Fluoride in Public Water Supply	Percentage of population with fluoridated public	WI Department of Health Servicies-	Minnesota Department of Health	Yes
Tilysical Environment	Ordiricular	Traditae iii i abiie water sappiy	water	Enviornmental Public Health	Community Public Water Supply	
			Trace.	Tracking: County Environmental	Unit	
Physical Environment	Natural	High Ozone Days	Average Daily Ambient Ozone Concentration	Community Commons: National		Yes
Tilysical Environment	Environment		The age bany runnient of the content attent	Environmental public health tracking		
				network		
Physical Environment	Adequate Income	Severe Housing Problems	Percentage of households with at least 1 of 4	County Health Rankings-Severe		Yes
			housing problems: overcrowding, high housing	Housing Problems		
			costs, or lack of kitchen or plumbing facilities			
Physical Environment	Built Environment	Food Insecurity	Percentage of people who do not have adequate	County Health Rankings-Food		No
			access to food during the past year	Insecurity		
Physical Environment	Built Environment	Food Insecurity	Percentage of people who have low food access	Community Commons-Food Access-		Yes
,		,	(percentage of people living in an area with low	Low Food Access		
			access to a supermarket or grocery store)			
1			, , , , , , , , , , , , , , , , , , , ,			1

Section of COMPASS Indicator can be Found:	Category	Title	Measure	DATA SOURCE-WI	DATA SOURCE-MN (If different than WI)	Used in COMPASS 2018?
Physical Environment	Built Environment		, ,	Wisconsin Department of Health Services; 2016 Report on Childhood Lead Poisoning in Wisconsin	Minnesota Department of Health	Yes
Physical Environment	Community Safety	Violent Crime	Violent crime rate per 100,000 population	<u>County Health Rankings-Violent</u> <u>Crime</u>		Yes
Physical Environment	Built Environment	Year Structure Built	Percentage of housing units built prior to 1950	County Health Rankings-Year		No
Other Factors	Public Health Funding	CDC Funding Per Capita Allocations	CDC Funding Per Capita Allocations	Trust for America's Health	Trust for America's Health	Yes
Other Factors	Public Health Funding	State Public Health Budgets	State Public Health Budgets	<u>Trust for America's Health</u>	Trust for America's Health	Yes

Section of COMPASS					DATA COURCE MAN	
	C-1	Ttal.		DATA SOURCE WI	DATA SOURCE-MN	Handin COMPACE 20102
Indicator can be Found:	Category	Title	Measure	DATA SOURCE-WI	(If different than WI)	Used in COMPASS 2018?
Not Applicable	Not Applicable	Influenza Immunization 65+	Percetange of population age 65 and older who had			No
			a flu shot in the last 12 months	Services-Respiratory Virus		
Not Applicable	Not Applicable	Communicable Disease	Incidence Rate per 100,000 for Selected Vaccine-	Surveillance Report Wisconsin Department of Health		No
Not Applicable	140t Applicable	Communicable Discase	Preventable Communicable Diseases: Pertussis and			140
			Influenza Associated Hospitalizations	Services-Fublic Health Fromes		
			inituenza Associateu Hospitalizations			
Not Applicable	Not Applicable	Communicable Disease	Number Reportable Cases of Communicable	County Health Rankings-		No
			Diseases per 100,000	Communicable Disease		
Not Applicable	Not Applicable	Drug Arrests	Number of arrests for drug possession	Wisconsin Department of Justice,		No
				Statistical Analysis Center; Crime		
				Information Bureau-Arrests in WI		
				<u>Report</u>		
Not Applicable	Not Applicable	Alcohol-related hospitalizations	Rate of alcohol-related hospitalizations per 1,000	County Health Rankings-Alcohol		No
			population	Related Hospitalizations (2017)		
Not Applicable	Not Applicable	Falls Fatalities 65+	Number of injury deaths due to falls among those	County Health Rankings-Fall		No
			65 years of age and over per 100,000 people	Fatalities 65+		
Not Applicable	Not Applicable	Tobacco Sales to Minors	Percentage of of illegal tobacco sales to minors	Wisconsin WINS		No
Not Applicable	Not Applicable	Prenatal Care	Adequacy of prenatal care per Kessner or	Wisconsin Department of Health		No
Not Applicable	TVOC Applicable	Trenatar care	Kotelchuck indices	Services-WISH System (Prenatal Care		140
			Rotelender maiees	Module)		
Not Applicable	Not Applicable	Preterm births	Percentage of births < 37 weeks gestation	Wisconsin Department of Health		No
				Services-WISH System (Prenatal Care		
				Module)		
Not Applicable	Not Applicable	Dental Health	Percentage of adults aged 18 and older who self-	Community Commons		No
•			report that they have not visited a dentist, dental			
			hygienist or dental clinic within the past year			
			. ,			

Not Applicable	Not Applicable	Dental Health	Percentage of adults age 18 and older who self-	Community Commons		Νο
		Jenan nearth	report that six or more of their permanent teeth	<u> </u>		
Not Applicable	Not Applicable	Poor Mental Health Days	Average number of mentally unhealthy days	County Health Rankings-Poor Mental		No
		.,	reported in past 30 days (age-adjusted)	Health Days (2017)		
Not Applicable	Not Applicable	Access to exercise opportunities	Percentage of individuals in a county who live	County Health Rankings-Access to		No
			reasonably close to a location for physical activity	Exercise Opportunities (2017)		
Not Applicable	Not Applicable	Local Health Department Staffing	Fulltime equivalents of local health department staff	County Health Rankings-Local Health		No
			per 10,000 population	Department Staffing (2017)		
Not Applicable	Not Applicable	Coronary Heart Disease	Percent of adults aged 18 and older that have ever	Community Commons; CDC, BRFSS.		No
•			been told by a doctor that they have coronary heart	Additional data analysis by CARES,		
			disease or angina	2011-2012		
Not Applicable	Not Applicable	Adult Asthma	Percentage of adults aged 18 and older who self-	Community Commons; CDC, BRFSS.		No
1			report that they have ever been told by a doctor,	Additional data analysis by CARES,		
			nurse, or other health professional that they had	2011-2012		
			asthma			
Section of COMPASS					DATA SOURCE-MN	
Indicator can be Found:	Category	Title	Measure	DATA SOURCE-WI	(If different than WI)	Used in COMPASS 2018?
Not Applicable	Not Applicable	Cholesterol Screening	Percentage of adults ever had cholesterol checked	Wisconsin Department of Health		No
			preceding 5 years	Services-WISH System (BRFS Module)		
Not Applicable	Not Applicable	Hate Crimes	Hate crime rate per 100,000 population	County Health Rankings-Hate Crimes		No
Not Applicable	TVOT Applicable	Trace Crimes	Trace crime rate per 100,000 population	County Frediti Runkings Flate Crimes		No
Not Applicable	Not Applicable	Limited Access to Healthy Foods	Percentage of the population who are low income	County Health Rankings-Limited to		No
		,	and do not live close to a grocery store	Healthy Foods		
Not Applicable	Not Applicable	Air Pollution Particulate Matter	The average daily measure of fine particulate	County Health Rankings-Air Pollution		No
			matter in micrograms per cubic meter (PM2.5) in a	Particulate Matter		
Not Applicable	Not Applicable	Drinking Water Violations	Indicator of the presence of health-related drinking	County Health Rankings-Drinking		No
			water violations.	Water Violations		
Not Applicable	Not Applicable	Cervical Cancer Screening	Percentage of women 18+ who self-report that they	Community Commons		No
			have had a pap test in past 3 years			
Not Applicable	Not Applicable	Colon Cancer Screening	Percentage of 50+ population who self-report that	Community Commons		No
			they have ever had a sigmoidoscopy or colonoscopy			
Not Applicable	Not Applicable	Preventable Hospital Stays	Hospitalization rate for ambulatory-care sensitive	County Health Rankings-Preventable		No
			conditions per 1,000 Medicare enrollees	<u>Hospital Stays</u>		
Not Applicable	Not Applicable	Mammography Screening	Percentage of female Medicare enrollees aged 67-	County Health Rankings-		No
			69 that received mammography screening	Mammography Screening		
Not Applicable	Not Applicable	Drug Overdose Deaths	Rate of death due to drug overdose per 100,000	Community Commons		No
			people			
Not Applicable	Not Applicable	Youth Dietary Behavior	Percentage of students who ate fruits and	Youth Risk Behavior Surveillance		No
			vegetables less than five times per day	Survey (YRBSS)		
Not Applicable	Not Applicable	Youth Physical Activity	Percentage of students physically active at least 60	Youth Risk Behavior Surveillance		No
			minutes per day on less than 5 days	Survey (YRBSS)		
Not Applicable	Not Applicable	Youth Drug and Alcohol Use	Percentage of students who had at least one drink	Youth Risk Behavior Surveillance		No
Niet Arrelieski	Niet Ameli II	Variab Davis and Al. 1. 111	of alcohol in their lifetime	Survey (YRBSS)		N-
Not Applicable	Not Applicable	Youth Drug and Alcohol Use	Percentage of students who had their first drink of	Youth Risk Behavior Surveillance		No
			alcohol other than a few sips before age 13	Survey (YRBSS)		
			1			L

Not Applicable	Not Applicable	Youth Suicide	Percentage of youth (high schoolers) who seriously	Youth Risk Behavior Surveillance		No
			considered attempting suicide during the 12	Survey (YRBSS)		
			months before the survey			
Not Applicable	Not Applicable	Youth Injury	Percentage of youth who rarely or never wore a	Youth Risk Behavior Surveillance		No
			seat belt when riding in a car driven by someone	Survey (YRBSS)		
			else			
Not Applicable	Not Applicable	Youth Tobacco Use	Percentage of students who smoked cigarettes on	Youth Risk Behavior Surveillance		No
			one or more of the past 30 days	Survey (YRBSS)		
Not Applicable	Not Applicable	Youth Tobacco Use	Percentage of students who used chewing tobacco,	Youth Risk Behavior Surveillance		No
			snuff, or dip on one or more of the past 30 days	Survey (YRBSS)		
Not Applicable	Not Applicable	Youth Sexual Behavior	Percentage of students who have ever had sexual	Youth Risk Behavior Surveillance		No
			intercourse	Survey (YRBSS)		
Carting of COMPACE					DATA COURCE MAN	
Section of COMPASS				D. 17.1 COLUMN 14.11	DATA SOURCE-MN	
Indicator can be Found:	Category	Title	Measure	DATA SOURCE-WI	(If different than WI)	Used in COMPASS 2018?
Not Applicable	Not Applicable	Youth Sexual Behavior	Among students who had sexual intercourse during			No
			the past three months, the percentage who did not	Survey (YRBSS)		
			use a condom during last sexual intercourse			
Not Applicable	Not Applicable	Youth Violence	Percentage of students who have been bullied on	Youth Risk Behavior Surveillance		No
Trock ppcable		Touch Troicine	school property during the past 12 months	Survey (YRBSS)		
Not Applicable	Not Applicable	Youth Violence	Percentage of students who have ever been	Youth Risk Behavior Surveillance		No
			physically forced to have sexual intercourse when	Survey (YRBSS)		
			they did not want to			